Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
19.	100	341/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:35
L2	54839	(add\$3 or sum\$4 or combin\$3) near2 current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:39
13	46	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:37
L4	30708_	current near2 mirror\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:38
L5	3218	(bias\$3 or adjust\$3) near4 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:38
L6	6592	(bias\$3 or adjust\$3 or monitor\$3 or control\$4) near4 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:39
L7	1155	((add\$3 or sum\$4 or combin\$3) near2 current) near5 (bias near2 current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:39
L8	5786	((i adj v) or (current adj voltage)) adj2 converter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:40
L9	8052	((i adj v) or (current adj voltage)) adj2 convert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:40

L10	53	7 and 9	US-PGPUB;	OR	ON	2005/01/05 13:40
			USPAT;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB	•		